



**240** | YEARS  
OF LOCKMAKING EXCELLENCE

## STRONGHOLD® RANGE

Including the  
**Stronghold® SS100**  
THE WORLD'S STRONGEST PADLOCK



**Toughness guaranteed.**

# SQUIRE

## Stronghold® Range

### An unbeatable range of hi-security padlocks and security products

It doesn't get tougher than **Stronghold®**. This is our premium range of extra high security padlocks, padbars, chains, lock and chain sets and key safes.

The **Stronghold®** brand stands for top level performance. Tested and approved to the highest global standards by Sold Secure, CEN and LPCB and supported by Secured by Design. We're proud to introduce our new SS100, the strongest padlock in the world. Designed, engineered and made in Britain, it is unrivalled in strength and durability.

As our mark of uncompromising quality, these products come with our 10-year guarantee.

### About Squire

Our Squire family business has been making locks since 1780. We have a great British history carried down through eight generations. In that time, we've held strong in our ability to change with the world, balancing heritage with innovation. We're proud of our craft and stand firmly behind our reputation for long-lasting toughness that's guaranteed.

*John Squire*

John Squire, CEO  
8th generation

 **MADE IN BRITAIN**



The **Stronghold**® range of security products




**Toughness Guaranteed.**




Padlocks



Padbars



Chains



Lock and chain sets



**SQUIRE**

Stronghold® Range



  
**240 YEARS**  
OF LOCKMAKING EXCELLENCE

 **MADE IN  
BRITAIN**



## Quality and standards

### CEN approved

Tested to European CEN standards for padlock and padlock fittings BS EN12320:2012

#### CEN Ratings

SS100S	CEN6	SS50S	CEN4
SS100CS	CEN6	SS50S/2.5	CEN4
SS80S	CEN6	SS50P5	CEN3
SS80CS	CEN6	SS50CP5	CEN3
SS65CS	CEN6	SS50P5/2.5	CEN3
SS65S/2.5	CEN5	HLS50S	CEN5
SS65S	CEN5	HLS50P5	CEN3
SS50CS	CEN4	WS75S	CEN4

'E' variants have the same accreditation as 'S' versions when used with an appropriate cylinder.

Pinning kit available to masterkey and key alike 6 pin models. Separate pinning kit available to masterkey and key alike 5 pin models. Details available on Squire website. [www.squirelocks.co.uk](http://www.squirelocks.co.uk)

### LPCB approved

One of the challenges of making buildings safe and secure is selecting and installing fire safety and security products that do what they claim. The Loss Prevention Certification Board (LPCB) has been working with industry for more than 100 years to set the standards needed to ensure security products perform effectively. LPCB approval is recognised by governments and

regulatory authorities worldwide and provides confidence that security systems give protection against criminal intrusion and terrorist attack.

**Stronghold® SS100S and SS100CS** are the first ever padlocks (not sold as a set) to achieve **LPCB SR4**. Under the current testing regime, this is the highest level that any padlock has achieved when tested on its own.

The **SR3** rated **SS80S, SS80CS, SS65S and SS65CS** (SS65S and SS65CS are enhanced versions of the standard padlock) meet Level 3 of The Loss Prevention Standards (LPS) for stand-alone padlocks.

**The standard SS50S and SS50CS** meet **LPCB SR2**.

#### LPCB Rating 4

SS100S and SS100CS - SR4

#### LPCB Rating 3

SS80S and SS80CS - SR3  
SS65S LEV3 and SS65CS LEV3 - SR3

#### LPCB Rating 2

SS50S and SS50CS - SR2

### SBSC certified

Squire's SS80, SS65 and SS50 ranges using our 6 pin cylinder are all SBSC certified, Sweden's leading certification body in fire safety and security.

#### SBSC Rating SSF 014 Class 4

SS80S and SS80CS  
SS65S and SS65CS

#### SBSC Rating SSF 014 Class 3

SS50S and SS50CS




## Master key and keyed alike services


Squire offers tailored keyed alike and master-keying services.

The **Stronghold®** range is ideally suited for creating keyed alike or master key suites of padlocks.

Contact Squire for details.



Keyed alike system



Master key system

# SQUIRE

## Stronghold® New for 2022

### Elite Dimple Pin as standard

On SS80, SS65, SS50 and WS75  
Ranges at no extra cost

Squire are now offering Elite dimple pin key as standard on various **Stronghold®** products. Squire understand that some customers may specifically request this kind of key from their locksmith. Now locksmiths can support this across the **Stronghold®** range at no extra cost to the customer. Squire's dimple pin key system is patented until 2034 and offers 470,000 key differs - over 200,000 more than on their standard **Stronghold®** key.



### Choice of boxed or retail pack packaging

As part of Squire's ongoing commitment to the environment, all **Stronghold®** products originally available in retail packs are now also available in attractive printed boxes.



## STH100 Extra high security padbar

Designed to be used with the SS100CS padlock

When used together these two very high specification products achieve LPCB Level 4.

- High security padbar with hardened hasp and staple
- Special hardened cast material - extremely strong
- Hardened rotating staple for extra resistance to attack
- For use only with the SS100CS Padlock
- LPCB Level 4 when used together



## STH3 High security hasp

Sold Secure Silver and meets building regulations requirements

- Hardened steel construction with anti-corrosion finish
- Hardened steel staple
- Nut and bolt fixing for added security
- Concealed fixings
- Sold Secure security padlocks & fittings SILVER
- Meets new building regulation requirement for out-buildings security



### Stronghold® range of extra high security padlocks

A range of super-tough, high security padlocks tested to the limits in-house and approved by independent accreditation bodies CEN, LPCB, Sold Secure and Secured by Design. Made in Britain, these padlocks come in a variety of body widths and shackle versions.

#### Features

Hardened boron alloy steel shackle

Solid hardened steel lock body

Electrophoretic anti-corrosion finish

6 pin cylinder - over 250,000 key differs

Anti-drill protection

Protective dust cover



Boron steel shackle

Stronghold® padlocks - range overview



The world's strongest production padlock



**Stronghold® SS100**

Body width	100mm
Shackle diameter	20mm
Shackle variants	Open, closed
CEN	6
LPCB	4
Sold Secure	Gold Motorcycle (open) Diamond* (closed shackle)
Security rating	10

\* Sold Secure Diamond approved when combined with 22mm chain



**Stronghold® SS80**

Body width	80mm
Shackle diameter	16mm
Shackle variants	Open, closed
CEN	6
LPCB	3
Sold Secure	Gold Motorcycle
Security rating	10



**Stronghold® SS65**

Body width	65mm
Shackle diameter	12.7mm
Shackle variants	Open, closed, long
CEN	5-6
LPCB	Level 3 versions available
Sold Secure	Gold Motorcycle available
Security rating	10



**Stronghold® SS50**

Body width	50mm
Shackle diameter	10mm
Shackle variants	Open, closed, long
CEN	3-4
LPCB	Level 2 versions available
Sold Secure	Gold Motorcycle P5 Version Gold Bicycle
Security rating	8-9

**Note P5 - 5 pin version also available**



**Stronghold® SS45**

Body width	45mm
Shackle diameter	6mm
Shackle variants	Open
CEN	No
LPCB	No
Sold Secure	No
Security rating	7



**Stronghold® SS50 Combi**

Body width	50mm
Shackle diameter	10mm
Shackle variants	Open, Closed
CEN	No
LPCB	No
Sold Secure	No
Security rating	8



**Stronghold® WS75**

Body width	80mm
Shackle diameter	12mm
Shackle variants	Open
CEN	4
LPCB	No
Sold Secure	No
Security rating	9



**Stronghold® products for locksmiths**

Squire produces a range of padlocks that locksmiths can adapt. The Half Euro and Scandinavian oval versions enable locksmiths to fit cylinders without modification. The E versions and EM versions accept modified Euro profile cylinders.

# SQUIRE

## Stronghold® padlocks - SS100



### The Stronghold® SS100 <sup>NEW</sup>

### THE WORLD'S STRONGEST PADLOCK

The first padlock ever\* to achieve LPCB Level SR4  
LPCB's highest padlock accreditation

These massive, super-heavyweight padlocks are the newest addition to the Stronghold® range.

#### Features

- 100mm wide solid hardened steel lock body
- Open and closed shackle versions, SS100CS weighs 4.3kg
- 20mm diameter hardened boron alloy steel shackle
- Accredited to LPCB Level SR4 and CEN 6
- SS100CS with 22mm chain approved to Sold Secure Motorcycle Diamond standard
- Dual key operated, ideal for supervised use
- Two 6 pin cylinders, choice of same cylinder or keyed to differ, both can be keyed alike or master keyed
- Anti-drill protection
- Electrophoretic anti-corrosion finish
- Protective dust cover
- Tensile pull tested to 24 tonnes (independently verified)

\* Stand alone padlock, not sold as part of a lock and chain set




Certified to  
LPS 1654: Issue 1  
Security Rating 4  
Cert. No. 1179a/04



Actual Size!!



SS100



**Stronghold® SS100 range - 100mm wide body**  
**THE WORLD'S STRONGEST PADLOCK**



SS80S SS80CS

Code	LPCB	CEN	SBSC Class	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
							A	B	C	D	E					
SS100S	LEVEL SR4	CEN 6		10	@WORK	100mm open shackle steel lock 2 x 6 pin S cylinder	100	62	20	40	48	5012245038088	CYKEY/S1/BL	BOX	1	■
SS100SKA	LEVEL SR4	CEN 6		10	@WORK	100mm KA open shackle steel lock 2 x 6 pin S cylinder	100	62	20	40	48	Special	CYKEY/S1/BL	BOX	1	
SS100CS	LEVEL SR4	CEN 6		10	@WORK	100mm closed shackle steel lock 2 x 6 pin S cylinder	100	62	20	33	28	5012245038149	CYKEY/S1/BL	BOX	1	■
SS100CSKA	LEVEL SR4	CEN 6		10	@WORK	100mm KA closed shackle steel lock 2 x 6 pin S cylinder	100	62	20	33	28	Special	CYKEY/S1/BL	BOX	1	

6 pin versions available with restricted profile MK denotes master keyed



SS80S SS80CS

**Stronghold® SS80 range - 80mm wide body**

Code	LPCB	CEN	SBSC Class	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
							A	B	C	D	E					
SS80S	LEVEL SR3	CEN 6	4	10	@WORK	80mm open shackle steel lock 6 pin S cylinder	80	40	16	32	32	5012245035681	CYKEY/S1/BL	BOX	1	■
SS80SKA	LEVEL SR3	CEN 6	4	10	@WORK	80mm KA open shackle steel lock 6 pin S cylinder	80	40	16	32	32	Special	CYKEY/S1/BL	BOX	1	
SS80CS	LEVEL SR3	CEN 6	4	10	@WORK	80mm closed shackle steel lock 6 pin S cylinder	80	40	16	25	23.5	5012245035674	CYKEY/S1/BL	BOX	1	■
SS80CSKA	LEVEL SR3	CEN 6	4	10	@WORK	80mm KA closed shackle steel lock 6 pin S cylinder	80	40	16	25	23.5	Special	CYKEY/S1/BL	BOX	1	

6 pin versions available with restricted profile MK denotes master keyed



SS80S/E1/SD SS80CS/E1/SD

**Stronghold® SS80 range - Elite**

Code	LPCB	CEN	SBSC Class	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
							A	B	C	D	E					
SS80S/E1/SD		CEN 6	4	10	@WORK	80mm open shackle steel lock - Elite dimple pin key	80	40	16	32	32	Special	CYKEY/E1/BL	BOX	1	■
SS80S/E1/KA		CEN 6	4	10	@WORK	80mm KA open shackle steel lock - Elite dimple pin key	80	40	16	32	32	Special	CYKEY/E1/BL	BOX	1	
SS80CS/E1/SD		CEN 6	4	10	@WORK	80mm closed shackle steel lock - Elite dimple pin key	80	40	16	25	23.5	Special	CYKEY/E1/BL	BOX	1	■
SS80CS/E1/KA		CEN 6	4	10	@WORK	80mm KA closed shackle steel lock - Elite dimple pin key	80	40	16	25	23.5	Special	CYKEY/E1/BL	BOX	1	

MK denotes master keyed



Many Stronghold® Products available either boxed or on plastic platforms



### Stronghold® WS75 container lock

#### Features

12mm hardened boron alloy steel shackles



80mm solid hardened steel lock body

Electrophoretic finish - excellent corrosion resistance

Rekeyable 6 pin tumbler lock mechanism - over 250,000 key differs

Anti-bump, anti-pick, highly attack resistant

Key section can be upgraded to restricted or protected profile offering over 530,000 key differs



#### Stronghold® WS75 - container lock


Code	CEN	Security Rating	@	Description	Dimensions mm						Barcode	Key Blank	Pack Type	Min Qty	MK
					A	B	C	D	E	F					
WS75S	CEN 4	9	@WORK	Container lock 6 pin S cylinder	80	26	12	14	27	65	5012245029666	CYKEY/S1/BL	BLISTER/BOX	1	■
WS75SKA	CEN 4	9	@WORK	KA Container lock 6 pin S cylinder	80	26	12	14	27	65	Special	CYKEY/S1/BL	BOX	1	

Available with restricted profile MK denotes master keyed

#### Stronghold® WS75 - container lock - Elite

WS75S/E1/SD	CEN 4	9	@WORK	Container lock - Elite dimple pin key	80	26	12	14	27	65	Special	CYKEY/E1/BL	BOX	1	■
WS75S/E1/KA	CEN 4	9	@WORK	KA Container lock - Elite dimple pin key	80	26	12	14	27	65	Special	CYKEY/E1/BL	BOX	1	

MK denotes master keyed



### Stronghold® SS65 range - 65mm wide body **LPCB ACCREDITED VERSIONS**



SS65SLEV3 SS65CSLEV3

Code	LPCB	CEN	SBSC Class	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
							A	B	C	D	E					
SS65S LEV3	LEVEL SR3	CEN 5	4	10	@WORK	65mm open shackle - added security to meet LPCB LEVEL SR3	65	31.8	12.7	29	29.5	5012245031218	CYKEY/S1/BL	BOX	1	■
SS65CS LEV3	LEVEL SR3	CEN 6	4	10	@WORK	65mm closed shackle - added security to meet LPCB LEVEL SR3	65	31.8	12.7	19	19	5012245031225	CYKEY/S1/BL	BOX	1	■
SS65 M3ARX LEV3	LEVEL SR3		4	10	@WORK	Body only 65mm open shackle* - LPCB LEVEL SR3	65	31.8	12.7	29	29.5	Special	n/a	BOX	1	
SS65C M3ARX LEV3	LEVEL SR3		4	10	@WORK	Body only 65mm closed shackle* - LPCB LEVEL SR3	65	31.8	12.7	19	19	Special	n/a	BOX	1	

6 pin versions available with restricted Profile **MK** denotes master keyed

### Stronghold® SS65 range - 65mm wide body **NON-LPCB ACCREDITED VERSIONS**



SS65S SS65CS

SS65S	N/A	CEN 5	4	10	@WORK	65mm closed shackle steel lock 6 pin S cylinder	65	31.8	12.7	29	19	5012245003994	CYKEY/S1/BL	BLISTER/BOX	2	■
SS65S/F/SHACKLE	N/A	CEN 5	4	10	@WORK	65mm KA closed shackle steel lock 6 pin S cylinder	65	31.8	12.7	29	16	Special	CYKEY/S1/BL	BOX	1	
SS65SKA	N/A	CEN 5	4	10	@WORK	65mm open shackle steel lock 6 pin S cylinder	65	31.8	12.7	29	29.5	Special	CYKEY/S1/BL	BOX	1	
SS65CS	N/A	CEN 6	4	10	@WORK	65mm open flying shackle lock 6 pin S cylinder	65	31.8	12.7	19	29.5	5012245003918	CYKEY/S1/BL	BLISTER/BOX	2	■
SS65CSKA	N/A	CEN 6	4	10	@WORK	65mm KA open shackle steel lock 6 pin S cylinder	65	31.8	12.7	19	29.5	Special	CYKEY/S1/BL	BOX	1	
SS65S/2.5	N/A	CEN 5	4	10	@WORK	65mm 2.5" long shackle steel lock 6 pin S cylinder	65	31.8	12.7	65	29.5	Special	CYKEY/S1/BL	BOX	1	■
SS65S/2.5KA	N/A	CEN 5	4	10	@WORK	65mm KA 2.5" long shackle steel lock 6 pin S cylinder	65	31.8	12.7	65	29.5	Special	CYKEY/S1/BL	BOX	1	

6 Pin versions available with restricted profile **MK** denotes master keyed

### Stronghold® SS65 range - 65mm wide body - Elite



SS65S/E1/SD SS65CS/E1/SD

SS65S/E1/SD	N/A	CEN 5	4	10	@WORK	65mm closed shackle steel lock - Elite dimple pin key	65	31.8	12.7	29	19	Special	CYKEY/E1/BL	BOX	2	■
SS65S/E1/SD/F/SHACKLE	N/A	CEN 5	4	10	@WORK	65mm KA closed shackle steel lock - Elite dimple pin key	65	31.8	12.7	29	16	Special	CYKEY/E1/BL	BOX	1	
SS65S/E1/KA	N/A	CEN 5	4	10	@WORK	65mm open shackle steel lock - Elite dimple pin key	65	31.8	12.7	29	29.5	Special	CYKEY/E1/BL	BOX	1	
SS65CS/E1/SD	N/A	CEN 6	4	10	@WORK	65mm open flying shackle lock - Elite dimple pin key	65	31.8	12.7	19	29.5	Special	CYKEY/E1/BL	BOX	2	■
SS65CS/E1/KA	N/A	CEN 6	4	10	@WORK	65mm KA open shackle steel lock - Elite dimple pin key	65	31.8	12.7	19	29.5	Special	CYKEY/E1/BL	BOX	1	
SS65S/2.5/E1/SD	N/A	CEN 5	4	10	@WORK	65mm 2.5" long shackle steel lock - Elite dimple pin key	65	31.8	12.7	65	29.5	Special	CYKEY/E1/BL	BOX	1	■
SS65S/2.5/E1/KA	N/A	CEN 5	4	10	@WORK	65mm KA 2.5" long shackle steel lock - Elite dimple pin key	65	31.8	12.7	65	29.5	Special	CYKEY/E1/BL	BOX	1	


**MK** denotes master keyed



SS65S/2.5/E1/SD

# SQUIRE

## Stronghold® padlocks



### Stronghold® SS50 range - 50mm wide body



SS50S

SS50CS



SS50S/2.5


Code	LPCB	CEN	SBSC Class	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
							A	B	C	D	E					
SS50S	LEVEL SR2	CEN 4	3	9	@WORK	50mm open shackle steel lock 6 pin 5 cylinder	50	26	10	26	22	5012245003420	CYKEY/S1/BL	BLISTER/BOX	3	■
SS50S 8mm		CEN 3		8	@WORK	8mm shackle/50mm open shackle steel lock 6 pin 5 cylinder	50	26	8	26	24	Special	CYKEY/S1/BL	BOX	1	■
SS50P5		CEN 3		8	@WORK	50mm open shackle steel lock P5 (5 pin) cylinder	50	26	10	26	22	5012245007756	KB P5	BLISTER/BOX	3	■
SS50SKA	LEVEL SR2	CEN 4	3	9	@WORK	50mm KA open shackle steel lock 6 pin 5 cylinder	50	26	10	26	22	Special	CYKEY/S1/BL	BOX	1	
SS50P5KA		CEN 3		8	@WORK	50mm KA open shackle steel lock P5 (5 pin) cylinder	50	26	10	26	22	Special	KB P5	BOX	1	
SS50CS	LEVEL SR2	CEN 4	3	9	@WORK	50mm closed shackle steel lock 6 pin 5 cylinder	50	26	10	16	16	5012245003413	CYKEY/S1/BL	BLISTER/BOX	3	■
SS50CP5		CEN 3		8	@WORK	50mm closed shackle steel lock P5 (5 pin) cylinder	50	26	10	16	16	5012245007763	KB P5	BLISTER/BOX	3	■
SS50CSKA	LEVEL SR2	CEN 4	3	9	@WORK	50mm KA closed shackle steel lock 6 pin 5 cylinder	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	
SS50CP5KA		CEN 3		8	@WORK	50mm KA closed shackle steel lock P5 (5 pin) cylinder	50	26	10	16	16	Special	KB P5	BOX	1	
SS50S/2.5		CEN 4	3	9	@WORK	50mm 2.5" long shackle steel lock 6 pin 5 cylinder	50	26	10	65	22	5012245006049	CYKEY/S1/BL	BLISTER/BOX	3	■
SS50P5/2.5		CEN 3	3	8	@WORK	50mm 2.5" long shackle steel lock P5 (5 pin) cylinder	50	26	10	65	22	5012245009996	KB P5	BOX	3	■
SS50S/2.5KA		CEN 4	3	9	@WORK	50mm KA 2.5" long shackle steel lock 6 pin 5 cylinder	50	26	10	65	22	Special	CYKEY/S1/BL	BOX	1	
SS50P5/2.5KA		CEN 3	3	8	@WORK	50mm KA 2.5" long shackle steel lock P5 (5 pin) cylinder	50	26	10	65	22	Special	KB P5	BOX	1	
SS50 M3ARX	LEVEL SR2	CEN 4	3	9	@WORK	Body only 50mm open shackle* - LPCB LEVEL SR2	50	26	10	26	22	Special	n/a	BOX	1	
SS50C M3ARX	LEVEL SR2	CEN 4	3	9	@WORK	Body only 50mm closed shackle* - LPCB LEVEL SR2	50	26	10	16	16	Special	n/a	BOX	1	

6 pin versions available with restricted profile MK denotes master keyed



Many Stronghold® Products available either boxed or on plastic platforms





**Stronghold® SS50 range - 50mm wide body - Elite**



Code	LPCB	CEN	SBSC Class	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
							A	B	C	D	E					
SS50S/E1/SD		CEN 4	3	9	@WORK	50mm open shackle steel - Elite dimple pin key	50	26	10	26	22	Special	CYKEY/E1/BL	BOX	3	■
SS50S/E1/SD 8mm		CEN 3		8	@WORK	8mm shackle/50mm open shackle steel lock - Elite dimple pin key	50	26	8	26	24	Special	CYKEY/E1/BL	BOX	1	■
SS50S/E1/KA		CEN 4	3	9	@WORK	50mm KA open shackle steel lock - Elite dimple pin key	50	26	10	26	22	Special	CYKEY/E1/BL	BOX	1	
SS50CS/E1/SD		CEN 4	3	9	@WORK	50mm closed shackle steel lock - Elite dimple pin key	50	26	10	16	16	Special	CYKEY/E1/BL	BOX	3	■
SS50CS/E1/KA		CEN 4	3	9	@WORK	50mm KA closed shackle steel lock - Elite dimple pin key	50	26	10	16	16	Special	CYKEY/E1/BL	BOX	1	
SS50S/2.5/E1/SD		CEN 4	3	9	@WORK	50mm 2.5" long shackle steel lock - Elite dimple pin key	50	26	10	65	22	Special	CYKEY/E1/BL	BOX	3	■
SS50S/2.5/E1/KA		CEN 4	3	9	@WORK	50mm KA 2.5" long shackle steel - Elite dimple pin key	50	26	10	65	22	Special	CYKEY/E1/BL	BOX	1	■

MK denotes master keyed





### Stronghold® SS50 and SS50CS Combi

High specification recodable combination padlocks

#### Features

10mm hardened boron alloy steel shackles

50mm solid hardened steel lock body

Electrophoretic finish - excellent corrosion resistance


Protective lock body cover

Extra high security padlock, 5 wheels with 100,000 possible combinations - recodable

Highly attack resistant

200 hours salt spray tested - highly weather resistant


Unique easy to use open and closing mechanism



SS50CS COMBI

SS50 COMBI

Code	Security Rating	@	Description	Dimensions mm					Barcode	Number of Combinations	Pack Type	Min Qty
				A	B	C	D	E				
SS50/COMBI	8	@WORK	5 wheel open shackle Combi hardened steel c/w weather cover	55	30	10	24	22	5012245028690	100,000	BLISTER/BOX	2
SS50C/COMBI	8	@WORK	5 wheel closed shackle Combi hardened steel c/w weather cover	55	30	10	14	16	5012245028706	100,000	BLISTER/BOX	2



### Stronghold® SS50 Marine range - 50mm wide body



SS50S MARINE      SS50CS MARINE



Rustproof shackle      Marine

Code	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
					A	B	C	D	E					
SS50S/MARINE	CEN 3	8	@WORK	50mm open stainless steel shackle lock 6 pin (S) cylinder	50	26	10	26	22	Special	CYKEY/S1/BL	BOX	1	■
SS50P5/MARINE	CEN 3	8	@WORK	50mm open stainless steel shackle lock 5 pin (P5) cylinder	50	26	10	26	22	Special	KB P5	BOX	1	■
SS50S/MARINE/KA	CEN 3	8	@WORK	50mm open st/steel shackle lock 6 pin (S) keyed alike cylinder	50	26	10	26	22	Special	CYKEY/S1/BL	BOX	1	
SS50P5/MARINE/KA	CEN 3	8	@WORK	50mm open St/steel shackle lock 5 pin (P5) keyed alike cylinder	50	26	10	26	22	Special	KB P5	BOX	1	
SS50CS/MARINE	CEN 3	8	@WORK	50mm closed stainless steel shackle lock 6 pin (S) cylinder	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	■
SS50CP5/MARINE	CEN 3	8	@WORK	50mm closed stainless steel shackle lock 5 pin (P5) cylinder	50	26	10	16	16	Special	KB P5	BOX	1	■
SS50CS/MARINE/KA	CEN 3	8	@WORK	50mm closed stainless/steel shackle lock 6 pin (S) keyed alike cylinder	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	
SS50CP5/MARINE/KA	CEN 3	8	@WORK	50mm closed stainless/steel shackle lock 5 pin (P5) keyed alike cylinder	50	26	10	16	16	Special	KB P5	BOX	1	
SS50EM/MARINE*	CEN 3	8	@WORK	Euro body Marine O/S - accepts 1/2 modified 71 Double Euro	50	26	10	26	22	Special	n/a	BOX	1	
SS50CEM/MARINE*	CEN 3	8	@WORK	Euro body Marine C/S - accepts 1/2 modified 71 Double Euro	50	26	10	16	16	Special	n/a	BOX	1	

\*Padlock CEN grade applies to padlock on its own. Your choice of cylinder will affect this rating.

6 pin versions available with restricted profile      MK denotes master keyed

### 6mm shackle



SS45S



### Stronghold® SS45 - 45mm wide body

SS45		7	@WORK	45mm open shackle steel lock 6 pin S cylinder	49.1	32.1	6	35.5	20	5012245008494	CYKEY/S1/BL	BOX	1	■
SS45KA		7	@WORK	45mm open shackle steel lock 6 pin S cylinder keyed alike	49.1	32.1	6	35.5	20	5012245008739	CYKEY/S1/BL	BOX	1	




### Stronghold® Half Euro padlocks **NEW**

Accepts a Half Euro cylinder with no modification

- Create your own suite of padlocks using Half Euro cylinders
- Padlocks need no extra modifications.
- Quick and easy process
- Very high specification locks using Squire's **Stronghold®** range of CEN grade locks\*. No compromise on quality
- Two body widths available, 65mm and 55mm, in open shackle and long shackle variants

\*Padlock CEN grade applies to padlock on its own. Your Half Euro cylinder will affect this rating.



SS65HE



SS55HE

#### Stronghold® Half Euro padlock range

Code	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Pack Type	Min Qty
					A	B	C	D	E			
SS65HE	CEN 5	10	@WORK	65mm open shackle steel lock accepts Half Euro cylinder	65	31.8	12.7	29	19	5012245037630	BOX	2
SS65S/2.5HE	CEN 5	10	@WORK	65mm 2.5" long shackle steel lock accepts Half Euro cylinder	65	31.8	12.7	65	19	Special	BOX	1
SS55SHE	CEN 3	9	@WORK	55mm open shackle steel lock accepts Half Euro cylinder	55	25	10	25.9	22	5012245037623	BOX	2
SS55S/2.5HE	CEN 3	9	@WORK	55mm 2.5" long shackle steel lock accepts Half Euro cylinder	55	25	10	63.8	22	Special	BOX	1

# Stronghold® Scandinavian oval padlocks <sup>NEW</sup>


Accepts a Scandinavian oval cylinder with no modification

- Create your own suite of padlocks using Scandinavian oval cylinders
- Padlocks need no extra modifications.
- Quick and easy process
- Very high specification locks using Squire's **Stronghold®** range of CEN grade locks\*. No compromise on quality
- Three body widths available, 80mm, 65mm and 50mm, in open shackle and long shackle variants
- For scan oval padlock with Tang add FCAM to product code, or scan oval padlock with slot add MCAM to product code



SS50				
SS65				
SS80				

\*Padlock CEN grade applies to padlock on its own. Your Scandinavian oval cylinder will affect this rating.



## Stronghold® Scandinavian oval padlock range



Code	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Pack Type	Min Qty
					A	B	C	D	E			
SS80S/SCAN	CEN 6	10	@WORK	80mm open shackle steel lock accepts Scandinavian oval cylinder	80	40	16	32	32	Special	BOX	2
SS80CS/SCAN	CEN 6	10	@WORK	80mm closed shackle steel lock accepts Scandinavian oval cylinder	80	40	16	25	23.5	Special	BOX	2
SS80S/2.5/SCAN	CEN 6	10	@WORK	80mm 2.5" long shackle steel lock accepts Scandinavian oval cylinder	80	40	16	65	32	Special	BOX	1
SS65S/SCAN	CEN 5	10	@WORK	65mm open shackle steel lock accepts Scandinavian oval cylinder	65	31.8	12.7	29	29.5	Special	BOX	2
SS65CS/SCAN	CEN 6	10	@WORK	65mm closed shackle steel lock accepts Scandinavian oval cylinder	65	31.8	12.7	19	19	Special	BOX	2
SS65S/2.5/SCAN	CEN 5	10	@WORK	65mm 2.5" long shackle steel lock accepts Scandinavian oval cylinder	65	31.8	12.7	6.5	29.5	Special	BOX	1
SS50/SCAN	CEN 4	9	@WORK	50mm open shackle steel lock accepts Scandinavian oval cylinder	50	26	10	26	22	Special	BOX	2
SS50CS/SCAN	CEN 4	9	@WORK	50mm 1.5" long shackle steel lock accepts Scandinavian oval cylinder	50	26	10	16	22	Special	BOX	2
SS50S/2.5/SCAN	CEN 4	9	@WORK	50mm 2.5" long shackle steel lock accepts Scandinavian oval cylinder	50	26	10	65	22	Special	BOX	1

### Stronghold® integration with high security lock cylinders

Create keyed alike and master keyed suites using a range of cylinder types and profiles

Create keyed alike and master keyed suites using a range of cylinder types and profiles (excluding NW4).

Bringing locksmiths absolute flexibility when deciding what level of security your clients need.

**Stronghold®** padlocks easily accept Euro profile and Scandinavian oval cylinders (see pages 17 and 18) and they accept NW4, Elite dimple pin, **Stronghold®** Protected and Restricted cylinders.

They are designed to suite with the standard Squire cylinder and easily with EVVA cylinders (see page 21).



#### NW4 New Wave - **Stronghold®** KIK cylinder - extra high security

A new cylinder that takes advantage of the latest manufacturing techniques. The New Wave NW4 cylinder has a complex anti-drill construction and also offers protection from bumping, drilling and picking.

- Reversible key 10 pins plus 4 wave technique
- Over 20 million key differs
- 2 keys with code number and key code registration card
- Patented until 2027, only on presentation of key code card will replacement keys be issued
- Anti plug extract
- NW4 system, including 4 types of decoding elements: a roller in the key - basic active row of pins; side row of pins; a wave channel in the key
- Anti-bumping and anti-drilling protection
- Ergonomic plastic keybow

#### **Stronghold®** protected range

The Squire **Stronghold®** protected profile provides the answer to the ever-increasing awareness of protected systems. Guarantees that a copy of the key can never be cut unless authorised by the user.

- High quality 6 pin locking system with nickel silver pins
- 530,000 keying differs
- Security key card protected, complete control over key blanks
- Picking protected
- Drill protection in cylinder body with 1 tungsten carbide pin
- Drill protection in core with 3 tungsten carbide pins
- Protection against pulling
- High wear resistance
- Supplied with 2 nickel silver keys
- Can be supplied master keyed or keyed alike

**NEW** - Dimple pin available as standard



**Stronghold® Elite 1™ cylinder range**  
Dimple pin key system

The Squire **Stronghold®** Elite 1™ dimple system combines a conventional saw tooth key system with a dimple system.

- High quality 6 pin locking system with nickel plated pins
- 470,000 keying differs
- Picking protected
- Drill protection in cylinder body with 1 pin
- Drill protection in core with 3 pins
- Protection against pulling
- Nickel plated core
- High wear resistance
- Supplied with 2 nickel silver Squire keys
- Can be supplied master keyed or keyed alike
- Can be fully integrated into our existing **Stronghold®** 6 pin key systems
- Key blanks are available
- Keys can be cut on all laser and dimple key cutting machines

**New Dimple Pin as standard on SS80, SS65, SS50 and WS75 Ranges**



**Stronghold® restricted range**

The Squire **Stronghold®** restricted profile provides you with a secure method of controlling the copying of your cut keys. Capable of coping with large master key systems and the high usage demands put on the individual cylinder. It can also provide locksmiths with the luxury of their own profile.

- High quality 6 pin locking system with nickel silver pins
- 530,000 keying differs
- Restricted multiple profiles - security key card protected
- Picking protected
- Drill protection in cylinder body with 1 tungsten carbide pin
- Drill protection in core with 3 tungsten carbide pins
- Protection against pulling
- Nickel plated core (nickel finish cylinders only)
- High wear resistance
- Supplied with 2 nickel silver keys
- Can be supplied master keyed or keyed alike
- The system is protected by a security card which must be produced in order to have a copy key cut



**Stronghold® standard range**

The Squire **Stronghold®** standard profile with its unique key bow gives you the best in quality, reliability and availability. Combined with a very competitive pricing structure and you have the perfect product for the discerning customer.

- High quality 6 pin locking system with nickel plated pins
- 262,000 keying differs
- Picking protected
- Drill protection in cylinder body with 1 tungsten carbide pin
- Drill protection in core with 3 tungsten carbide pins
- Protection against pulling
- Nickel plated core (nickel finish cylinders only)
- High wear resistance
- Supplied with 2 nickel plated brass Squire keys
- Can be supplied master keyed or keyed alike from our in house workshop



## Restricted Key Solutions

**Stronghold®** padlocks offer full integration with EVVA restricted and extended key systems

By adding the EVVA range of cylinders to your Squire padlock you can offer the highest grade of security and complete key control.

Securing one site to multiple sites, the EVVA system can cover all of your security requirements. The new EVVA inserts fits across the whole of the **Stronghold®** range of padlocks, making it the most versatile high security key solution.

For more information on EVVA Restricted key solutions visit [www.evva.co.uk](http://www.evva.co.uk)



### Padlock features

- Now available across the whole **Stronghold®** range
- Patented, restricted security
- Complete key control
- Standard, keyed alike or master keyed solutions
- Cylinders conforms to BS EN1303
- All CEN Grade rated
- Available on your own exclusive key system



### ICS | Inner code system

The ICS from EVVA is a strong, reversible key system with a specially designed tip for ease of use. ICS offers solutions for standard lock, keyed alike and complex master key systems. The thickness of the keys is 3mm which makes it strong, durable and resistant to wear.



### EPS | Extended profile system

The EPS system is a 6 pin system with unique side coding, making it secure to physical attack. Available for standard lock, keyed alike and master key systems, EVVA EPS offers restricted security for the whole of the Squire Stronghold range of padlocks.

# Stronghold® Euro profile padlocks

## Original SS65E and SS50EM ranges




The **original** Squire Euro profile range - accepts a Half Euro cylinder **with** modification

The Europrofile 'E' and 'EM' ranges are the original Squire locks designed for fitment of a modified 71mm double Europrofile cylinder. Locksmiths preferring to fit an unmodified Half Euro cylinder, refer to page 11. The 'E' Range for 65mm padlocks and the 'EM' Range for 50mm padlocks differ in that the module used to hold the Euro profile cylinder is slightly different.

- Create your own suite of padlocks using modified Euro cylinders
- Can use same modified cylinder in SS50EM, SS50CEM, SS65E, SS65CE padlocks
- Integrate **Stronghold®** padlocks with any existing key system
- Supplied body only
- No need to drill into modified cylinder
- Solid hardened steel lock body
- Hardened boron alloy steel shackle
- Electrophoretic finish - excellent corrosion resistance
- Extra anti drill protection
- Very high specification locks using Squire's **Stronghold®** range of CEN grade locks\*. No compromise on quality
- Two body widths available, 65mm and 50mm, in open shackle and long shackle variants

\*Padlock CEN grade applies to padlock on its own. Your choice of cylinder will affect this rating.



### Solid Steel - Euro versions - body only - accepts modified Half Euro



Code	CEN	Security Rating	@	Description	Dimensions mm					Barcode	Pack Type	Min Qty
					A	B	C	D	E			
SS65E	CEN 5	10	@WORK	65mm Euro body O/S - accepts 1/2 modified 71 Double Euro	65	31.8	12.7	29	29.5	5012245008494	BOX	1
SS50EM	CEN 4	9	@WORK	50mm Euro body O/S - accepts 1/2 modified 71 Double Euro	50	26	10	26	22	5012245008739	BOX	1
SS50EM L.SMITH	CEN 3	8	@WORK	50mm unhardened body - accepts 1/2 modified 71 Double Euro	50	26	10	26	22	5012245008777	BOX	1
SS65CE	CEN 6	10	@WORK	65mm Euro body C/S - accepts 1/2 modified 71 Double Euro	65	31.8	12.7	19	19	5012245005073	BOX	1
SS50CEM	CEN 4	9	@WORK	50mm Euro body C/S - accepts 1/2 modified 71 Double Euro	50	26	10	16	16	5012245008746	BOX	1
SS65E/2.5	CEN 5	10	@WORK	65mm Euro body 2.5" L/S - accepts 1/2 modified 71 Double Euro	65	31.8	12.7	65	29.5	Special	BOX	1
SS50EM/2.5	CEN 4	9	@WORK	50mm Euro body 2.5" L/S - accepts 1/2 modified 71 Double Euro	50	26	10	65	22	5012245008753	BOX	1

# SQUIRE

## Stronghold® padbars



### STH100 Padbar NEW Extra high security padbar

The new STH100 has been designed to be used only with the new SS100CS padlock. When used together these two very high specification products achieve LPCB Level 4.

The padbar body is made from a special hardened cast material and the hardened staple rotates for extra security making it more resistant to attack.

The STH100 is easy to fit and offers more protection than a normal hasp and staple.

#### Features

- High security padbar with hardened hasp and staple
- Special hardened cast material - extremely strong
- Hardened rotating staple for extra resistance to attack
- For use only with the SS100CS Padlock
- LPCB Level 4 when used together



#### Accreditations



Grade 6



Hardened



Certified to  
LPS 1654: Issue 1  
Security Rating 4  
Cert. No. 1179b/01





Certified to  
LPS 1654: Issue 1  
Security Rating 4  
Cert. No. 1179b/01



**STH100 Padbar**

- High security padbar with hardened hasp and staple
- Hardened special cast material - extremely strong
- Hardened rotating stud for extra resistance to attack
- For use only with the SS100CS padlock. Product meets LPCB SR4 when used together.



**STH1 Padbar**

- High security padbar with hardened hasp and staple
- Hardened special cast material - extremely strong
- Easy to fit
- Hardened rotating staple for extra resistance to attack



**STH3 Hasp**

- Hardened steel construction with anti-corrosion finish
- Hardened steel staple
- Nut and bolt fixing for added security
- Concealed fixings
- Sold Secure security padlocks & fittings SILVER
- Meets new building regulation requirement for out-buildings security



STH100



STH1



STH3



**Stronghold® Security products - CEN Grade**



Code	CEN	LPCB	Security Rating	@	Description	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty
						A	B	C	Staple Clearance	Bolt Dia				
STH100	CEN 6	SR4*	10	WORK	Hardened Stronghold Padbar - CEN 6 for SS100CS only	184	86	32	n/a	18	5012245038828	n/a	BOX	1
STH1	CEN 6		10	WORK	Hardened Stronghold Padbar - CEN 6	184	86	32	16	18	5012245007770	n/a	BOX	1
STH3	CEN 4		9	WORK	Extra High Security Hasp & Staple - CEN 4	231	76	52.5	13	na	5012245038064	n/a	BLISTER/BOX	1

\* LPCB Level 4 only when used in combination with a SS100CS padlock



TC22 - 22mm chain



TC19 - 19mm chain



TC16 - 16mm chain



TC14 - 14mm chain



G - 10mm chain



J - 8mm chain



### High security hardened alloy steel chains - Sold Secure approved



J4

Code	Security Rating	Sold Secure	Description	Dimensions mm		Barcode	Pack Type	Min Qty
				Link Diameter	Chain Length			
TC22/5	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	22	1500	5012245038378	BOX	1
TC19/5	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	19	1500	5012245035889	BOX	1
TC16/5	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	16	1500	5012245035896	BOX	1
TC14/3	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	14	915	5012245028089	BOX	1
TC14/4	10	Motorcycle	TC Chain alloy steel hardened chain, blue sleeve	14	1200	5012245028096	BOX	1
G3	9	Motorcycle	G Chain alloy steel hardened chain, blue sleeve	10	915	5012245006537	BOX	1
G4	9	Motorcycle	G Chain alloy steel hardened chain, blue sleeve	10	1200	5012245003116	BOX	1
J3	8	Bicycle	J Chain alloy steel hardened chain, blue sleeve	8	915	5012245008630	BOX	1
J4	8	Bicycle	J Chain alloy steel hardened chain, blue sleeve	8	1200	5012245004366	BOX	1



**High Security Hardened Alloy Steel Chains - Sold Secure Approved - Lock And Chain Sets**



Code	Security Rating	Sold Secure	Description	Link Diameter	Chain Length	Dimensions mm					Barcode	Key Blank	Pack Type	Min Qty	MK
						A	B	C	D	E					
SS100CS/TC22/5	10	Motorcycle	SS100CS padlock with hardened alloy chain	22	1500	100	62	20	33	28	5012245038835	KB P6	BOX	1	■
SS80CS/TC22/5	10	Motorcycle	SS80CS padlock with hardened alloy chain	22	1500	80	40	16	25	24	5012245038842	KB P6	BOX	1	■
SS80CS/TC19/5	10	Motorcycle	SS80CS padlock with hardened alloy chain	19	1500	80	40	16	25	24	5012245038859	KB P6	BOX	1	■
SS80CS/TC16/5	10	Motorcycle	SS80CS padlock with hardened alloy chain	16	1500	80	40	16	25	24	5012245038866	KB P6	BOX	1	■
SS65CS/TC14/3	10	Motorcycle	SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	5012245029215	KB P6	BOX	1	■
SS65CS/TC14/4	10	Motorcycle	SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	5012245022346	KB P6	BOX	1	■
SS50CS/TC14/3	10	Motorcycle	SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	5012245029222	KB P6	BOX	1	■
SS50CS/TC14/4	10	Motorcycle	SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	5012245029239	KB P6	BOX	1	■
SS50CS/G4	9	Bicycle	SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	5012245004045	KB P6	BOX	1	■
DCL1/J3	9	Bicycle	DCL1 Padlock with hardened alloy steel chain	8	915	70	27.5	9.5	17.5	17	5012245020106	KB P6	BOX	6	
SS100CS/TC22/5/KA	10	Motorcycle	KA SS100CS padlock with hardened alloy chain	22	1500	100	62	20	33	28	Special	KB P6	BOX	1	
SS80CS/TC22/5/KA	10	Motorcycle	KA SS80CS padlock with hardened alloy chain	22	1500	80	40	16	25	24	Special	KB P6	BOX	1	
SS80CS/TC19/5/KA	10	Motorcycle	KA SS80CS padlock with hardened alloy chain	19	1500	80	40	16	25	24	Special	KB P6	BOX	1	
SS80CS/TC16/5/KA	10	Motorcycle	KA SS80CS padlock with hardened alloy chain	16	1500	80	40	16	25	24	Special	KB P6	BOX	1	
SS65CS/TC14/3KA	10	Motorcycle	KA SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	Special	KB P6	BOX	1	
SS65CS/TC14/4KA	10	Motorcycle	KA SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	Special	KB P6	BOX	1	
SS50CS/TC14/3KA	10	Motorcycle	KA SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	Special	KB P6	BOX	1	
SS50CS/TC14/4KA	10	Motorcycle	KA SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	Special	KB P6	BOX	1	
SS50CS/G4 KA	9	Bicycle	KA SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	Special	KB P6	BOX	1	

**High Security Hardened Alloy Steel Chains - Lock And Chain Sets**

SS50S/G3	8	Bicycle	SS50S Padlock with hardened alloy chain	10	915	50	26	10	26	22	5012245003536	KB P6	BOX	1	■
SS50COMBI/G3	8	Bicycle	SS50Combi Padlock with hardened alloy chain	10	915	55	30	10	22	22	5012245035872	n/a	BOX	1	
WARRIOR 65/G4	8	Bicycle	Warrior 65 Padlock with hardened alloy chain	10	1200	65	34	12	34	24	Special	KB P5	BOX	1	■
WARRIOR COMBI 65/G4	8	Bicycle	Warrior Combi 65 Padlock with hardened alloy chain	10	1200	65	39	12	25	23	Special	n/a	BOX	1	
VULCANP450/Y3	6	Bicycle	Vulcan P4 50 Padlock with hardened steel chain	10	900	55	33	9.5	23.5	22	5012245035902	KB P4	BOX	1	
WARRIOR55/J3	7	Bicycle	Warrior 55 Padlock with hardened all chain	8	915	55	34	10	30	24	5012245035919	KB P5	BOX	1	
SS50S/G3 KA	8	Bicycle	KA SS50S Padlock with hardened alloy chain	10	915	50	26	10	26	22	Special	KB P6	BOX	1	■
WARRIOR 65/G4KA	8	Bicycle	KA Warrior 65 Padlock with hardened alloy chain	10	1200	65	34	12	27	16	Special	KB P5	BOX	1	
VULCANP450/Y3KA	6	Bicycle	KA Vulcan P4 50 Padlock with hardened steel chain	10	900	50	33	9.5	23.5	22	Special	KB P4	BOX	1	
WARRIOR55/J3KA	7	Bicycle	KA Warrior 55 Padlock with hardened all chain	8	915	55	34	10	30	24	Special	KB P5	BOX	1	



[www.squirelocks.co.uk](http://www.squirelocks.co.uk)

Henry Squire & Sons Limited, Hilton Cross Business Park, Cannock Road, Featherstone, Wolverhampton, WV10 7QZ

Tel: 01902 308050 E-mail: [info@henry-squire.co.uk](mailto:info@henry-squire.co.uk)

